

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| L2 | 219 | comparator and signal and (triangle adj3 signal) and convert and (output adj3 signal) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/03/04 11:37 |
| L3 | 73 | 2 and motor | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/03/04 11:48 |
| L4 | 1 | "20030165398" | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/03/04 11:49 |
| L5 | 6293 | cool\$3 and blower and (pc or computer or laptop or (personal adj3 computer)) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/03/04 13:11 |
| L6 | 138 | L5 and (medical adj3 (equipment or device or instrument)) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/03/04 13:11 |
| L7 | 3 | 6 and (fan with noise) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/03/04 13:23 |
| L8 | 1 | "6191546".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/03/04 13:24 |

| | | | | | | |
|-----|-------|--|----------------------------------|----|----|------------------|
| L9 | 71 | (US-20010017869-\$ or US-20010024075-\$ or US-20020019596-\$ or US-20020020175-\$ or US-20020051663-\$ or US-20020066281-\$ or US-20020176712-\$ or US-20030128509-\$ or US-20030165398-\$ or US-20050002656-\$ or US-20050012489-\$).did. or (US-3745435-\$ or US-4008425-\$ or US-4742441-\$ or US-4953068-\$ or US-5001619-\$ or US-5155672-\$ or US-5241247-\$ or US-5469041-\$ or US-5600550-\$ or US-5656917-\$ or US-5670708-\$ or US-5687066-\$ or US-5815384-\$ or US-5870294-\$ or US-5909061-\$ or US-5960075-\$ or US-5982643-\$ or US-6021052-\$ or US-6026891-\$ or US-6038156-\$ or US-6040668-\$ or US-6135718-\$ or US-6157151-\$ or US-6208122-\$ or US-6236192-\$ or US-6260765-\$). did. or (US-6262549-\$ or US-6274991-\$ or US-6291950-\$ or US-6330170-\$ or US-6344985-\$ or US-6381406-\$ or US-6384567-\$ or US-6400098-\$ or US-6472845-\$ or US-6479957-\$ or US-6487668-\$ or US-6519170-\$ or US-6552515-\$ or US-6611127-\$ or US-6617818-\$ or US-6636094-\$ or US-6650074-\$ or US-6678829-\$ or US-6700339-\$ or US-6703818-\$ or US-6724626-\$ or US-6734725-\$ or US-6737833-\$ or US-6757592-\$ or US-6757617-\$ or US-6771056-\$ or US-6775468-\$). did. or (US-6779981-\$ or US-6806687-\$ or US-6809925-\$ or US-6815920-\$ or US-6824362-\$ or US-6828748-\$ or US-6851930-\$). did. | US-PGPUB; USPAT | OR | ON | 2005/03/04 13:25 |
| L10 | 0 | (blower with notebook) and 9 | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/03/04 13:26 |
| L11 | 19 | (blower with notebook) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/03/04 13:26 |
| S2 | 14394 | High and frequency and (pulse adj3 width adj3 modulation) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/03/03 09:32 |

| | | | | | | |
|-----|-------|--|---|----|----|------------------|
| S3 | 14394 | high and frequency and (pulse adj3 width adj3 modulation) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/02/23 11:26 |
| S4 | 157 | S3 and (cool\$3 adj3 device) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/02/23 11:27 |
| S5 | 6566 | (high adj3 frequency) and (pulse adj3 width adj3 modulation) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/02/23 11:27 |
| S6 | 76 | S5 and (cool\$3 adj3 device) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/02/23 11:27 |
| S7 | 14428 | High and frequency and (pulse adj3 width adj3 modulation) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/03/01 17:35 |
| S8 | 159 | S7 and (cool\$3 adj3 device) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/03/01 17:35 |
| S9 | 2 | ("2003/0128509").URPN. | USPAT | OR | ON | 2005/03/01 17:47 |
| S10 | 4 | S8 and audible | USPAT | OR | ON | 2005/03/01 17:53 |
| S11 | 248 | cool\$3 and audible and fan and frequency and processor | USPAT | OR | ON | 2005/03/01 17:54 |
| S12 | 31 | "6,384,567" "6,236,192" "6,208,122" "4,742,441" | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/03/02 10:44 |

| | | | | | | |
|-----|----------|---|----------------------------------|----|----|------------------|
| S13 | 41 | (US-20010024075-\$ or US-20030128509-\$ or US-20050002656-\$).did. or (US-6487668-\$ or US-6519170-\$ or US-6724626-\$ or US-6734725-\$ or US-6757592-\$ or US-6809925-\$ or US-6851930-\$ or US-6815920-\$ or US-6806687-\$ or US-6771056-\$ or US-6737833-\$ or US-6703818-\$ or US-6678829-\$ or US-6636094-\$ or US-6611127-\$ or US-6552515-\$ or US-6472845-\$ or US-6400098-\$ or US-6384567-\$ or US-6344985-\$ or US-6330170-\$ or US-6236192-\$ or US-6208122-\$ or US-6038156-\$ or US-6021052-\$ or US-5982643-\$). did. or (US-5960075-\$ or US-5909061-\$ or US-5870294-\$ or US-5815384-\$ or US-5687066-\$ or US-5600550-\$ or US-5469041-\$ or US-5155672-\$ or US-5001619-\$ or US-4953068-\$ or US-4742441-\$ or US-5656917-\$).did. | US-PGPUB; USPAT | OR | ON | 2005/03/02 10:51 |
| S14 | 3 | S13 and (audible and frequency) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/03/02 10:53 |
| S15 | 18 | S13 and (high adj3 frequency) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/03/02 11:00 |
| S16 | 4 | S13 and (audible) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/03/02 11:04 |
| S17 | 162 | frequency and (fan adj3 control) and audible and cooling | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/03/02 11:05 |
| S18 | 19167464 | @pd < "20020716" | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/03/03 13:06 |
| S19 | 60 | S17 and S18 | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/03/02 11:06 |
| S21 | 17 | "6008603" | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/03/02 16:52 |

| | | | | | | |
|-----|----------|--|---|----|----|------------------|
| S25 | 428 | (medical adj3 device) and fan and cooling | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/03/03 13:06 |
| S26 | 473 | (digital adj3 video) and fan and cooling | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/03/03 13:06 |
| S27 | 19167464 | @pd < "20020716" | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/03/03 13:06 |
| S28 | 181 | S27 and S26 | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/03/03 13:37 |
| S29 | 170 | S27 and S25 | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/03/03 13:07 |
| S30 | 29 | (S28 or S29) and (pwm or (pulse adj3 width adj3 modulation)) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/03/03 13:09 |
| S31 | 157 | thermistor\$ and cool\$3 and fan and (pwm or (pulse adj3 width adj3 modulation)) and (high adj3 frequency) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/03/03 14:25 |
| S32 | 101 | S31 and S27 | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/03/03 13:39 |
| S33 | 24 | thermistor\$ and cool\$3 and fan and (pwm or (pulse adj3 width adj3 modulation)) and (high adj3 frequency) and (dc adj3 signal) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/03/03 16:42 |
| S34 | 11 | S33 and S27 | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/03/03 14:26 |
| S35 | 24 | thermistor\$ and cool\$3 and fan and (pwm or (pulse adj3 width adj3 modulation)) and (high adj3 frequency) and (dc adj3 signal) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/03/03 14:58 |
| S36 | 5 | thermistor\$ and cool\$3 and fan and blower and (pwm or (pulse adj3 width adj3 modulation)) and (high adj3 frequency) and (dc adj3 signal) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/03/03 16:44 |

| | | | | | | |
|-----|-----|---|----------------------------------|----|----|------------------|
| S37 | 2 | thermistor\$ and cool\$3 and fan and blower and (pwm or (pulse adj3 width adj3 modulation)) and computer and (dc adj3 signal) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/03/03 16:44 |
| S38 | 2 | thermistor\$ and cool\$3 and blower and (pwm or (pulse adj3 width adj3 modulation)) and computer and (dc adj3 signal) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/03/03 16:45 |
| S39 | 25 | thermistor\$ and cool\$3 and blower and computer and (dc adj3 signal) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/03/03 16:49 |
| S40 | 458 | thermistor\$ and cool\$3 and blower and computer | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/03/03 16:49 |
| S41 | 22 | S40 and pwm | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/03/03 16:50 |
| S42 | 5 | "6011371" | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/03/03 18:38 |

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S43 | 69 | (US-20010017869-\$ or US-20010024075-\$ or US-20020019596-\$ or US-20020020175-\$ or US-20020051663-\$ or US-20020066281-\$ or US-20030128509-\$ or US-20050002656-\$ or US-20050012489-\$).did. or (US-3745435-\$ or US-4008425-\$ or US-4742441-\$ or US-4953068-\$ or US-5001619-\$ or US-5155672-\$ or US-5241247-\$ or US-5469041-\$ or US-5600550-\$ or US-5656917-\$ or US-5670708-\$ or US-5687066-\$ or US-5815384-\$ or US-5870294-\$ or US-5909061-\$ or US-5960075-\$ or US-5982643-\$ or US-6021052-\$ or US-6038156-\$ or US-6040668-\$ or US-6135718-\$ or US-6157151-\$ or US-6208122-\$ or US-6236192-\$ or US-6260765-\$ or US-6262549-\$). did. or (US-6274991-\$ or US-6291950-\$ or US-6330170-\$ or US-6344985-\$ or US-6381406-\$ or US-6384567-\$ or US-6400098-\$ or US-6472845-\$ or US-6479957-\$ or US-6487668-\$ or US-6519170-\$ or US-6552515-\$ or US-6611127-\$ or US-6617818-\$ or US-6636094-\$ or US-6650074-\$ or US-6678829-\$ or US-6700339-\$ or US-6703818-\$ or US-6724626-\$ or US-6734725-\$ or US-6737833-\$ or US-6757592-\$ or US-6757617-\$ or US-6771056-\$ or US-6775468-\$ or US-6779981-\$). did. or (US-6806687-\$ or US-6809925-\$ or US-6815920-\$ or US-6824362-\$ or US-6828748-\$ or US-6851930-\$ or US-6026891-\$). did. | US-PGPUB; USPAT | OR | ON | 2005/03/03 18:38 |
| S44 | 7 | S43 and blower | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/03/03 18:41 |
| S45 | 6293 | cool\$3 and blower and (pc or computer or laptop or (personal adj3 computer)) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/03/03 18:42 |
| S46 | 59 | S45 and (video adj3 record\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/03/03 19:03 |

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| S47 | 138 | S45 and (medical adj3 (equipment or device or instrument)) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/03/04 13:11 |
|-----|-----|--|---|----|----|------------------|